



NANO Size USB Lan Adaptor

150Mbps


Wireless Speed up to 150Mbps

150Mbps Mini USB Wireless-N Lan Adaptor

7WL180

7inova 7WL180 super mini USB Wireless-N USB 2.0 Adapter complies with IEEE 802.11n, IEEE 802.11g, and IEEE 802.11b standards, enables wireless internet access to either your desktop or notebook PC, designed to provide 150Mbps speed(1T1R).

Connect your computer to your modem or router without any cables. Simply insert the setup CD, run the software setup and plug the adapter into a USB port on your computer, and you're ready to connect to the Internet from anywhere in your home.



FEATURES

- Super small compact size,easy for carry to everywhere.
- Add high-speed Wireless-N (draft 802.11n) Internet access to any USB enabled computer
- Supports 64/128-bit strength WEP encryptions, as well as WPA/WPA2 encryption, configure and secure your connection.
- Get wireless speeds ideal for surfing, emailing and instant messaging—up to 150Mbps.
- Operating distance of up to 300 feet indoor, and up to 900 feet outdoor.
- Supports USB 2.0 interface, backward compatible to USB 1.1 and 1.2.



APPLICATION



Laptop PC

Desktop PC with USB interface

Network and online gaming

PC file and application sharing

Higher data rate wireless broadband access

Audio and video streaming and transfer

★ TECHNICAL SPECIFICATIONS

Wireless Standards: IEEE 802.11 b/g/n Signal Rate: 11b: 1/2/5.5/11Mbps 11g: 6/9/12/18/24/36/48/54Mbps 11n: up to 150Mbps	RF Frequency: 2412 ~ 2462 MHz (North America) 2412 ~ 2472 MHz (Europe) 2412 ~ 2484 MHz (Japan) RF Power: 14 ~18 dBm (Typical)	Modulation Technology: 11n: BPSK, QPSK, 16QAM, 64QAM with OFDM 11g: BPSK, QPSK, 16QAM, 64QAM, OFDM 11b: DQPSK, DBPSK, DSSS, CCK Roaming: Full mobility and seamless roaming from cell to cell
Media Access Control: CSMA/CA with ACK LED / Interface: 1x Link/Active 1x USB2.0/1.1 A port Size: 20 x 15 x 6 mm Unit weight: 3 grams	Antenna: Built-in Antenna Working Temperature: 0°~40° Celsius Storage Temperature: -25°~75° Celsius Working Humidity: 10% ~ 90% RH Non-condensing Storage Humidity: 5% ~ 90% RH Non-condensing	Controller chipset: Realtek 8188FTV OS: Window 2000 / XP / Vista / Win7 / Win8 / Mac OS / Linux Package Contents: 1x Wireless USB Adapter 1x CD Driver 1x User Manual